



Compressed Air System Safety Instructions

Section 05-01-01

Komatsu has made every effort to make this manual as accurate as possible based on the information available at the time of publication and printing. Continuous improvement and advancement of product design may cause changes to machines, which may not have been included in this publication. Komatsu reserves the right to make changes and improvements at any time. To ensure the most current information, please contact your service center.

Table of Contents

Scope of This Publication 3

Safety..... 3

 Safety, Warnings, and Cautions 3

This Page Intentionally Left Blank

Scope of This Publication

This Section of the manual titled “COMPRESSED AIR SYSTEMS” provides service technicians with an operational overview for the loader’s Compressed Air System.

Safety

This publication contains special instructions that pertain to safety, operation, maintenance, and repair of the machine. Listed below are the signal words and symbols that precede these instructions and their meanings:


DANGER

- The danger label indicates a hazardous situation, which if not avoided, will result in death or serious injury.

WARNING

- The warning label indicates a hazardous situation, which if not avoided, could result in death or serious injury.

CAUTION

- The caution label, used with the safety alert symbol indicates a hazardous situation, which, if not avoided could result in minor or moderate injury (includes the safety alert symbol .

CAUTION

- The caution label (without safety alert symbol) is used to address practices not related to personal injury – only equipment damage.

NOTICE

The NOTICE graphic is to indicate areas of importance to the reader that are not related to personal injury or machine damage.

Safety, Warnings, and Cautions

WARNING

OVERPRESSURE EXPLOSION

- Explosion hazard exists if the air system is over pressured when manually charging the system. Do NOT over pressurize the air system when manually charging it. Over pressured components can explode. Over pressuring the system can cause explosion hazards resulting in serious injury or death.

CRUSHED BY OR STRUCK BY

- Crush hazards exist if failing to relieve hydraulic pressure from the hoist and bucket circuit. Releasing air pressure from the hydraulic system does NOT relieve hydraulic pressure from the

hydraulic system. Refer to the Service Manual Section 04, "HYDRAULIC & GREASE SYSTEMS" for information on relieving the hydraulic pressure in the hydraulic system. Failure to relieve hydraulic pressure from the hoist and bucket circuit can cause crush hazards resulting in serious injury or death.

SKIN INJECTION HAZARD

- Skin injection hazard exists when removing any valves or hoses, or attempting to connect gauges to couplers. Hydraulic fluid under pressure can penetrate the skin and cause serious injury, blindness, or death. Wear work gloves and keep your hand well away from any possible source of escaping fluid. Wear safety goggles. Fluids under pressure can penetrate the skin and cause serious personal injury, blindness, or death. If any fluid is injected into the skin, it must be removed as soon as possible by a doctor familiar with treating this type of injury. Fluid leaks under pressure may not be visible. When searching for leaks, NEVER use your hand; use a piece of metal. Wear work gloves and keep your hand well away from the possible source of leakage. DO NOT tighten or loosen fuel, hydraulic, or grease lines without first relieving the pressure. Wear safety goggles for eye protection and wear all other locally required personal protective equipment (PPE) when working around possibly pressurized liquids. Failure to use proper PPE can cause a skin injection hazard resulting in serious injury or death.

CAUTION

EQUIPMENT DAMAGE

- Testing of the KLENZ™ system, air brakes, air horn and other air systems for flow requirements with flow meters shows that the compressor currently in use does not have the capacity to cope with a major continuous air leak. All leaks should be fixed as soon as possible.